1280 N

SEQUENCE LISTING

XI

(1) GENERAL INFORMATION:

(i) APPLICANT: WALLACH, DAVID NOPHAR, YARON

KEMPER, OLIVER

ENGELMANN, HARTMUT BRAKEBUSCH, CORD

ADERKA, DAN

(ii) TITLE OF INVENTION: EXPRESSION OF THE RECOMBINANT TUMOR NECROSIS FACTOR BINDING PROTEIN I (TBP-I)

(iii) NUMBER OF SEQUENCES: 26

- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Browdy and Neimark
 - (B) STREET: 419 Seventh Street, N.W., Suite 300
 - (C) CITY: Washington
 - (D) STATE: DC
 - (E) COUNTRY: USA
 - (F) ZIP: 20004

(v) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25

(vi) CURRENT APPLICATION DATA:

- (A) APPLICATION NUMBER: US 07/625668
- (B) FILING DATE: 13-DEC-1990
- (C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: BROWDY, ROGER L
- (B) REGISTRATION NUMBER: 25,618
- (C) REFERENCE/DOCKET NUMBER: WALLACH4

(ix) TELECOMMUNICATION INFORMATION:

- (A) TELEPHONE: 202-628-5197
- (B) TELEFAX: 202-737-3528
- (C) TELEX: 248633



(2) INFORMATION FOR SEQ ID NO:1:

/il	SECTIENCE	CHARACTER ISTICS .

- (A) LENGTH: 2175 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 256..1620

(ix) FEATURE:

(A) NAME/KEY: mat_peptide
(B) LOCATION: 319..1620

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

CGGCCCAGTG	ATCTTGAA	CC CCAAA(GCCA GA	ACTGGAGC	CTCAGTC	CAG AGAA'	TTCTGA	60
GAAAATTAAA	GCAGAGAG	GA GGGGA	SAGAT CA	CTGGGACC	AGGCCGT	GAT CTCT	ATGCCC	120
GAGTCTCAAC	CCTCAACT	GT CACCC	CAAGG CAG	CTTGGGAC	GTCCTGG	ACA GACC	GAGTCC	180
CGGGAAGCCC	CAGCACTG	CC GCTGC	CACAC TG	CCCTGAGC	CCAAATG	GGG GAGT	GAGAGG	240
CCATAGCTGT	Me	G GGC CTO t Gly Leo 1 -20			Asp Let			291
CTG GTG CI Leu Val Le								339
GGA CTG GT Gly Leu Va 1								387
CCC CAA GG Pro Gln Gl 25								435
AAG TGC CA Lys Cys Hi	s Lys Gly	Thr Tyr	Leu Tyr	Asn Asp		Gly Pro		483

	GAT Asp									531
	AAC Asn									579
	GGT Gly									627
	GGC Gly 105									675
	CAG Gln									723
	TGC Cys									771
	CTA Leu									819
	GAG Glu									867
Thr	GAG Glu 185	Asp		Thr	Val					915
	CTT Leu									 963
	CGG Arg									1011
	GAA Glu									1059
	AAC Asn									1107





TTC AGT CCC GTG CCC AGT TCC ACC TTC ACC TCC AGC TCC ACC TAT ACC Phe Ser Pro Val Pro Ser Ser Thr Phe Thr Ser Ser Ser Thr Tyr Thr 265 270 275	1155
CCC GGT GAC TGT CCC AAC TTT GCG GCT CCC CGC AGA GAG GTG GCA CCA Pro Gly Asp Cys Pro Asn Phe Ala Ala Pro Arg Arg Glu Val Ala Pro 280 285 290 295	1203
CCC TAT CAG GGG GCT GAC CCC ATC CTT GCG ACA GCC CTC GCC TCC GAC Pro Tyr Gln Gly Ala Asp Pro Ile Leu Ala Thr Ala Leu Ala Ser Asp 300 305 310	1251
CCC ATC CCC AAC CCC CTT CAG AAG TGG GAG GAC AGC GCC CAC AAG CCA Pro Ile Pro Asn Pro Leu Gln Lys Trp Glu Asp Ser Ala His Lys Pro 315 320 325	1299
CAG AGC CTA GAC ACT GAT GAC CCC GCG ACG CTG TAC GCC GTG GAG Gln Ser Leu Asp Thr Asp Asp Pro Ala Thr Leu Tyr Ala Val Val Glu 330 335 340	1347
AAC GTG CCC CCG TTG CGC TGG AAG GAA TTC GTG CGG CGC CTA GGG CTG Asn Val Pro Pro Leu Arg Trp Lys Glu Phe Val Arg Arg Leu Gly Leu 345 350 355	1395
AGC GAC CAC GAG ATC GAT CGG CTG GAG CTG CAG AAC GGG CGC TGC CTG Ser Asp His Glu Ile Asp Arg Leu Glu Leu Gln Asn Gly Arg Cys Leu 360 365 370 375	1443
CGC GAG GCG CAA TAC AGC ATG CTG GCG ACC TGG AGG CGG CGC ACG CCG Arg Glu Ala Gln Tyr Ser Met Leu Ala Thr Trp Arg Arg Arg Thr Pro 380 . 385 390	1491
CGG CGC GAG GCC ACG CTG GAG CTG CTG GGA CGC GTG CTC CGC GAC ATG Arg Arg Glu Ala Thr Leu Glu Leu Leu Gly Arg Val Leu Arg Asp Met 395 400 405	1539
GAC CTG CTG GGC TGC CTG GAG GAC ATC GAG GAG GCG CTT TGC GGC CCC Asp Leu Leu Gly Cys Leu Glu Asp Ile Glu Glu Ala Leu Cys Gly Pro 410 415 420	1587
GCC GCC CTC CCG CCC GCG CCC AGT CTT CTC AGA TGAGGCTGCG CCCTGCGGGC Ala Ala Leu Pro Pro Ala Pro Ser Leu Leu Arg 425 430	1640
AGCTCTAAGG ACCGTCCTGC GAGATCGCCT TCCAACCCCA CTTTTTTCTG GAAAGGAGGG	1700
GTCCTGCAGG GGCAAGCAGG AGCTAGCAGC CGCCTACTTG GTGCTAACCC CTCGATGTAC	1760
ATAGCTTTTC TCAGCTGCCT GCGCGCCGCC GACAGTCAGC GCTGTGCGCG CGGAGAGAGG	1820
DENDEROUS STORES SENSE STORES STORES STORES STORES STORES	1020

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 455 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Gly Leu Ser Thr Val Pro Asp Leu Leu Leu Pro Leu Val Leu Leu -21 -20 -15 -10

Glu Leu Leu Val Gly Ile Tyr Pro Ser Gly Val Ile Gly Leu Val Pro
-5 1 5 10

His Leu Gly Asp Arg Glu Lys Arg Asp Ser Val Cys Pro Gln Gly Lys
15 20 25

Tyr Ile His Pro Gln Asn Asn Ser Ile Cys Cys Thr Lys Cys His Lys
30 35 40

Gly Thr Tyr Leu Tyr Asn Asp Cys Pro Gly Pro Gly Gln Asp Thr Asp 45 50 55

Cys Arg Glu Cys Glu Ser Gly Ser Phe Thr Ala Ser Glu Asn His Leu 60 65 70 75

Arg His Cys Leu Ser Cys Ser Lys Cys Arg Lys Glu Met Gly Gln Val 80 85 90

Glu Ile Ser Ser Cys Thr Val Asp Arg Asp Thr Val Cys Gly Cys Arg 95 100 105

Lys Asn Gln Tyr Arg His Tyr Trp Ser Glu Asn Leu Phe Gln Cys Phe 110 115 120



Asn Cys Ser Leu Cys Leu Asn Gly Thr Val His Leu Ser Cys Gln Glu Lys Gln Asn Thr Val Cys Thr Cys His Ala Gly Phe Phe Leu Arg Glu Asn Glu Cys Val Ser Cys Ser Asn Cys Lys Lys Ser Leu Glu Cys Thr Lys Leu Cys Leu Pro Gln Ile Glu Asn Val Lys Gly Thr Glu Asp Ser Gly Thr Thr Val Leu Leu Pro Leu Val Ile Phe Phe Gly Leu Cys Leu Leu Ser Leu Leu Phe Ile Gly Leu Met Tyr Arg Tyr Gln Arg Trp Lys Ser Lys Leu Tyr Ser Ile Val Cys Gly Lys Ser Thr Pro Glu Lys Glu Gly Glu Leu Glu Gly Thr Thr Thr Lys Pro Leu Ala Pro Asn Pro Ser Phe Ser Pro Thr Pro Gly Phe Thr Pro Thr Leu Gly Phe Ser Pro Val Pro Ser Ser Thr Phe Thr Ser Ser Ser Thr Tyr Thr Pro Gly Asp Cys Pro Asn Phe Ala Ala Pro Arg Glu Val Ala Pro Pro Tyr Gln Gly Ala Asp Pro Ile Leu Ala Thr Ala Leu Ala Ser Asp Pro Ile Pro Asn Pro Leu Gln Lys Trp Glu Asp Ser Ala His Lys Pro Gln Ser Leu Asp Thr Asp Asp Pro Ala Thr Leu Tyr Ala Val Val Glu Asn Val Pro Pro Leu Arg Trp Lys Glu Phe Val Arg Arg Leu Gly Leu Ser Asp His Glu Ile Asp Arg Leu Glu Leu Gln Asn Gly Arg Cys Leu Arg Glu Ala Gln



Tyr Ser Met Leu Ala Thr Trp Arg Arg Arg Thr Pro Arg Arg Glu Ala

Thr	Leu	Glu	Leu	Leu 400	Gly	Arg	Val	Leu	Arg 405	Asp	Met	Asp	Leu	Leu 410	Gly
Cys	Leu	Glu	Asp 415	Ile	Glu	Glu	Ala	Leu 420	Cys	Gly	Pro	Ala	Ala 425	Leu	Pro
Pro	Ala	Pro 430	Ser	Leu	Leu	Arg									
(2)	INFO	ORMAI	CION	FOR	SEQ	ID I	K:07	:							
	(i)	(E	A) LI 3) T C) S	CE CHENGTHE PRESENTE OF COLORS COMMENTS OF COLORS COLORS COMMENTS OF COLORS COLORS COMMENTS OF COLORS COLOR	i: 26 nucl DEDNI	6 bas Leic ESS:	se pa acio sing	airs 1							
	(ii)	MOI	LECUI	LE TY	YPE:	pro	tein								
	(xi)) SEÇ	QUEN	CE DI	ESCR:	IPTI	ON:	SEQ :	ID NO	0:3:					
GGN	GTYC	CNT T	[YATI	RTARC	GT DO	GNG'	r								
(2)	INF	ORMA'	rion	FOR	SEQ	ID I	NO:4	:							
	(i)	(I	A) L1 3) T C) S	CE CHENGTHE PROPERTY PER PROPERTY PER PROPERTY PER	H: 1' nucl DEDNI	7 ba: leic ESS:	se pa acio sing	airs 1							
	(ii)) MOI	LECU	LE T	YPE:	cDN	A								
	(xi)) SE(QUEN	CE DI	ESCR:	IPTI	ON:	SEQ :	ID N	0:4:					
GGN	GTYC	CNT :	rya r i	RTA			.·.			-					
(2)	INF	CAMAC	rion	FOR	SEQ	ID 1	NO:5	:							
	(i)	(1	A) L B) T C) S'	CE CI ENGTI YPE: TRANI OPOLO	H: 1' nuc DEDN	7 ba leic ESS:	se pa aci sin	airs d							
	(ii) MO	LECU:	LE T	YPE:	cDN.	A								

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	
TTYATRTARG TDGGNGT	17
(2) INFORMATION FOR SEQ ID NO:6:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 27 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	
CGGCCGATGG GCCTCTCCAC CGTGCCT	27
(2) INFORMATION FOR SEQ ID NO:7:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 27 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
AATAGTATTT CTAATCTGGG GTAGGCA	27
(2) INFORMATION FOR SEQ ID NO:8:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 6 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: peptide	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
	Met Asp Ser Val Cys Pro 1 5	
(2)	INFORMATION FOR SEQ ID NO:9:	
	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 23 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:	
AATT	CATGGA TAGTGTGT CCC	23
(2)	INFORMATION FOR SEQ ID NO:10:	
	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 23 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:	
GTAC	CTATCA CACACAGGG TTC	23
(2)	INFORMATION FOR SEQ ID NO:11:	
	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 22 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	



(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Ala Gln Val Ala Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser Thr Cys
1 10 15

Arg Leu Arg Glu Tyr Tyr 20

- (2) INFORMATION FOR SEQ ID NO:12:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 7 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Leu Cys Ala Pro Leu Arg Lys
1 5

- (2) INFORMATION FOR SEQ ID NO:13:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Cys Arg Pro Gly Phe Gly Val Ala Arg
5

- (2) INFORMATION FOR SEQ ID NO:14:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 11 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear



- 42 -

0,1

- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
1 5 10

- (2) INFORMATION FOR SEQ ID NO:15:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys Ser 1 5 10

- (2) INFORMATION FOR SEQ ID NO:16:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

Ser Cys Gly Pro Ser Tyr Pro Asp 1 5

- (2) INFORMATION FOR SEQ ID NO:17:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

Phe Thr Pro Tyr Ala Pro Glu Pro Gly Ser Thr Cys Arg
1 5 10

- (2) INFORMATION FOR SEQ ID NO:18:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

Leu Arg Glu Tyr Tyr Asp Gln Thr Ala Gln Met Cys Cys
1 5 10

- (2) INFORMATION FOR SEQ ID NO:19:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

Pro Gly Trp Tyr Cys Ala Leu Ser Lys

5

- (2) INFORMATION FOR SEQ ID NO:20:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear



//	
Ø	
\wedge	

(2)

(2)

(ii)	MOLECULE TYPE: peptide							
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO	:20:						
Ala 1	Gln Val Ala Phe Thr Pro Tyr Ala 5	Pro (Glu	Pro	Gly	Ser	Thr 15	Cys
Arg								
INFO	RMATION FOR SEQ ID NO:21:							-
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear							
(ii)	MOLECULE TYPE: peptide							
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO	:21:						
Val 1	Ala Phe Thr Pro Tyr Ala Pro Glu 5	Pro (Gly	Ser	Thr	Cys	Arg 15	
INFO	RMATION FOR SEQ ID NO:22:							
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 9 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear					- -		

- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

Cys Arg Pro Gly Phe Gly Val Ala Arg

(2)	INFO	RMATION	FOR	SEQ	ID	NO:23:		
	(+)	CECTEM	ים מי	אממגו	זיםיתי	TOMTOO		

- (1) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

Ile Cys Thr Cys Arg Pro Gly Trp Tyr Cys Ala Leu Ser
1 5 10

- (2) INFORMATION FOR SEQ ID NO:24:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

Pro Gly Thr Glu Thr Ser Asp Val Val Cys Lys Pro Cys Ala Pro Gly
1 10 15

Thr Phe Ser Lys

- (2) INFORMATION FOR SEQ ID NO:25:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 20 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: peptide



(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

Cys Arg Pro Gly Phe Gly Val Ala Arg Pro Gly Thr Glu Thr Ser Asp 1 5 10 15

Val Val Cys Lys 20

(2) INFORMATION FOR SEQ ID NO:26:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

Thr Ser Asp Thr Val Cys Asp Ser Cys Glu Asp Ser Thr Tyr Thr Gln 1 5 10 15

Leu Trp

51

9

TABLE 1: Amino Acid Sequences of TBP I and TPB II

1 2 3 4 5 6 7 8 9 10 11 12 13 14 NH₂ Asp Ser Val Cys Pro Gln Gly Lys Tyr Ile His Pro Gln - (Seq. ID No.: 2, amino acids 41-53)

TBP I: CNBr-1 (=N-terminus) NH_2 Gly Gln Val Glu Ile Ser Ser Cys Thr Val Asp Arg Asp Thr Val (Seq. ID No.: 2, amino acids 110-124)

Ile Glu Asn COOH

C-terminus

CNBr-2

						_		
15 Thr			Thr	Arg	Pro	Pro	Ser	Thr
14 Ser		1 1	Ser	Cys	Ala	Ala	Thr.	Tyr
13 Gly	1	Arg Cys Cys	G1y	Thr	Cys	Cys	Glu	Thr
12 Pro	Ser	Cys Cys Cys	Pro	Ser	Pro	Pro	Thr	Ser
11 Glu	Cys Cys	Thr Met Met	Glu	Gly	Lys	Lys	G1y	Asp
10 Pro	Cys Cys	Ser Gln Gln	Pro	Pro	Cys	Cys	Pro	Glu
9 Ala	Arg Met Met	Gly Ala Ala	aya Ala	Glu Arg Tvr	Val	Val	Arg	Cys
8 Tyr	Ala Gln Gln Asp	Pro Thr Thr	Tyr	Pro Ala Tro	Val	Val	Ala	Ser
7 Pro	Lys Lys Val Ala Ala Pro	Glu Glu Gln Gln	Pro	Ala Val Glv	Asp	Asp	Val	Asp
6 Thr	Arg Gly Thr	Pro Asp Asp	Thr	Tyr Gly Pro	Ser	Ser	$_{ m G1y}$	Cys
5 Phe	Leu Phe Gln Gln	Ala Tyr Tyr Cys	Phe	Pro Phe Arg	Thr	Thr	Phe Lys	Val
4 Ala	Pro Gly Gly Asp Asp	1747 1747 1747	111 Ala	Thr Gly Cvs	Glu Ser	Glu Ser	Gly Cys	Thr -
3 Val	Ala Pro Tyr Tyr	Pro Glu Glu	Val	Phe Pro Thr	Thr	Thr	Pro Val	Asp Trp
2 Gln	Cys Arg Tyr Tyr	Thr Arg Arg	Gln Arg	Ala Arg Cvs	Gly Thr	Gly Thr	Arg Val	Ser
1 Ala Cvs	Cys Cys Glu Glu	Phe Leu Leu	Ala Cys	Val Cys Ile	Pro Gly	Pro Gly	Cys	Thr Gln
NH ₂	NH2 NH2 NH2 NH2	HE SEE	NH ₂	NH ₂ NH ₂	NH ₂	NH ₂	NH ₂	NH_2
11)	12) 13) 14)	18)	20)	21) 22) 23)	24)	24)	25)	26)
No.	NO N	N N N N	No.	No.		NO.	No.	NO O
-	inini	innie	i A		i ii	Θ.	IJ.	e E
(Seg.	(Seq.	(Seq.	Sed.	(Seg.	(Sed.	(Sed.	(Sed.	(Sed.
<u>TBP II</u> : N-terminus	TRP 35 TRP 39/1 TRP 39/2 TRP 44/1	4 4 6 7		TRP 53/1 TRP 53/2 TRP 60		TRP 65	TRP 67	TRP 84
ПA			· [-'	ccc	יר	ב"י	-	r